

如何設定使用者可執行的檢驗單



一、說明：依使用者被授權可核發報告的檢驗項目，設定使用者可執行的檢驗單類別。

二、操作步驟如下：

1. 點擊功能表【11.系統管理】下的【11.1 權限管理】下的【11.1.9 設定使用者可執行的檢驗單】。



2. 「加入」用戶可執行的檢驗單步驟：選擇使用者→選擇檢驗科室→選擇檢驗申請單(可全選、單選或多選)→點選加入即可。



3. 「移除」用戶可執行的檢驗單步驟：選擇使用者→選擇用戶可執行的檢驗單(只能單選)→點選移除即可。

The screenshots illustrate the process of removing a test order for a user in a software application. The interface is titled "設定使用者可用報告類型" (Set User Available Report Types).

Top Screenshot:

- 檢驗科室一覽表 (12DPT):** A table with columns F, 代碼, and 名稱. It lists various departments like BACT, BBK, BIO, CBC, NU, OPD, and PCR.
- 使用者一覽表:** A table with columns F, 使用者代碼, 使用者名稱, 組別, Exeid, and 使用者描述. A user named "REBECCA" with ID "rebecca" is selected.
- 用戶可執行的檢驗單一覽表:** A table with columns F, 代碼, and 名稱. It lists test orders like "12 急檢生化" and "20 一般生化". The "20 一般生化" row is highlighted.
- Buttons:** "加入>>", "移除<<", "全選", and "取消". The "移除<<" button is circled in red and labeled with a red "3".

Bottom Screenshot:

- The "用戶可執行的檢驗單一覽表" table now only shows "12 急檢生化", which is highlighted. This table is circled in red and labeled with a red "4".
- The "移除<<" button is still visible.